



2014/03/06

نموذج امتحان لوظيفة : مبرمج الصفحات الالكترونية و تطبيقات الانترنت

?Which statement best describes cookies

- Sent by the server to all clients. **1**
- Sent by the server in response to a client request. **2**
- Sent by the client and stored on the server after the client user has signed a digital certificate. **3**
- Received by a client immediately after an e-commerce transaction is completed. **4**

In general, what is the order of the following tags in a website (p, body, html, title, ?head) – top down order

- html, body, title, head, p **1**
- html, head, title, body, p **2**
- html, title, head, p, body **3**
- None of the Above **4**

?Who is making the Web standards

- Mozilla **1**
- Microsoft **2**
- The World Wide Web Consortium **3**
- W3School **4**

?What is the correct HTML for creating a hyperlink

- `W3Schools.com` **1**
- `W3Schools` **2**
- `<a>http://www.w3schools.com` **3**
- `W3Schools.com` **4**

?How can you make a list that lists the items with numbers

- `<dl>` **1**
- `` **2**
- `` **3**
- `<list>` **4**

?What is the correct HTML for making a drop-down list

- `<input type="list" />` **1**
- `<select>` **2**
- `<input type="dropdown" />` **3**
- `<list>` **4**

All XHTML tags and attributes must be in lower case



2014/03/06

نموذج امتحان لوظيفة : مبرمج الصفحات الالكترونية و تطبيقات الانترنت

False	1
True	2
<hr/>	
?What is the correct HTML for referring to an external style sheet	
<stylesheet>mystyle.css</stylesheet />	1
<link rel="stylesheet" type="text/css" href="mystyle.css">	2
<style src="mystyle.css" />	3
<hr/>	
?Where is the correct place to insert a JavaScript	
The <body> section	1
Both the <head> section and the <body> section are correct	2
The <head> section	3
<hr/>	
?How do you write "Hello World" in an alert box	
alert("Hello World")	1
alertBox("Hello World")	2
alertBox="Hello World"	3
msgBox("Hello World")	4
<hr/>	
?How does a "while" loop start	
while (i<=10;i++)	1
while (i<=10)	2
while i=1 to 10	3
<hr/>	
The OR operator displays a record if ANY conditions listed are true. The AND operator displays a record if ALL of the conditions listed are true	
False	1
True	2
<hr/>	
Standard breakline in xhtml	
 	1
 	2
 </br>	3
<break/>	4
<hr/>	
File Upload in HTML	
<input type="file" name="fileImage" />	1
<file name="fileImage" />	2
<input type="image" name="fileImage" />	3
<input name="file" />	4



2014/03/06

نموذج امتحان لوظيفة : مبرمج الصفحات الالكترونية و تطبيقات الانترنت

CSS Selector that selects all Links

A { color:red }	1
*{ color:red }	2
A.*{ color:red }	3
*a{color:red}	4

If we want Div to be horizontally centered in its Container

Text-align: center	1
Margin: auto	2
Margin:left	3
Align: center	4

Combining 2 strings (\$s1,\$s2) in PHP

\$s1 + \$s2	1
\$s1 . \$s2	2
\$s1 & \$s2	3
con(\$s1,\$2)	4



2014/03/06

نموذج امتحان لوظيفة : مبرمج الصفحات الالكترونية و تطبيقات الانترنت

:Given the following HTML form on a Web page

```
>"form action="http://localhost:7001/phoneBook" method="get"<
>h1>Phone Book</h1 <
>center <
:p> Last Name <
>"input type="text" name="last" size="25" value="Smith <
>p/ <
:p> First Name <
>"input type="text" name="first" size="25" value="John <
>p/ <
:p> Phone Number <
>"input type="text" name="phone" size="17" value="4567890 <
>p/ <
>p <
>"input type="submit <
>p/ <
>center/ <
>form/<
```

If the user who is presented with this form simply clicks the Submit button without updating any

?fields, what URL (and associated query string) will the browser attempt to access

- http://localhost:7001/phoneBook%last=Smith?first=John?phone=4567890 1
- http://localhost/phoneBook?last=Smith&first=John&phone=4567890 2
- http://localhost:7001/phoneBook?Last Name=Smith&First Name=John&PhoneNumber=4567890 3
- http://localhost:7001/phoneBook?last=Smith&first=John&phone=4567890 4

Explode method in PHP used for

- Split string into array of string formed by the string delimiter 1
- Combine 2 strings into one 2
- Search within string 3
- Substring 4

:PHP mail(\$param1, \$param2, \$param3, \$param4), the \$param2 contains

- The message 1
- The recipient 2
- The header 3



2014/03/06

نموذج امتحان لوظيفة : مبرمج الصفحات الالكترونية و تطبيقات الانترنت

The subject	4
To get value of posted ("id") variable in ASP.NET	
\$_GET["id"]	1
\$_POST["id"]	2
Request.Form["id"]	3
Request.QueryString["id"]	4
?Which is the correct CSS syntax	
{body:color=black(body)}	1
body:color=black	2
{body;color:black}	3
body {color: black}	4
?Which sign does jQuery use as a shortcut for jQuery	
the \$ sign	1
the ? Sign	2
the % sign	3
?With jQuery, look at the following selector: \$("div"). What does it select	
All div elements	1
The first div element	2
?With jQuery, look at the following selector: \$("div.intro"). What does it select	
The first div element with class="intro"	1
All div elements with id="intro"	2
All div elements with class="intro"	3
The first div element with id="intro"	4
?Which jQuery method is used to perform an asynchronous HTTP request	
jQuery.ajax()	1
jQuery.ajaxSetup()	2
jQuery.ajaxAsync()	3
?Which SQL statement is used to return only different values	
SELECT DIFFERENT	1
SELECT DISTINCT	2
SELECT UNIQUE	3
.The number of forms that can be added to a aspx page is	
1	1



2014/03/06

نموذج امتحان لوظيفة : مبرمج الصفحات الالكترونية و تطبيقات الانترنت

2	2
3	3
More than 3	4
<hr/>	
?Which of the following JavaScript statements use arrays	
setTimeout("a["+i+"]",1000)	1
k = a & i	2
k = a(i)	3
answer (a) and answer (c)	4
<hr/>	
?What is the correct HTML for making a checkbox	
<check>	1
<checkbox>	2
<input type="checkbox" />	3
<input type="check" />	4
<hr/>	
Which attribute replaces the name attribute for the following elements: a, applet, frame, iframe, img, and map	
The src attribute	1
The id attribute	2
The class attribute	3
<hr/>	
?How do you change the font of an element	
f:	1
font=	2
font-family:	3
<hr/>	
?How do you round the number 7.25, to the nearest integer in Javascript	
rnd(7.25)	1
Math.round(7.25)	2
Math.rnd(7.25)	3
round(7.25)	4
<hr/>	
? What is the correct JavaScript syntax for opening a new window called "w2	
w2=window.open("http://www.w3schools.com");	1
w2=window.new("http://www.w3schools.com");	2
<hr/>	
When cookie contains a collection of multiple value ,we say that the cookie has	
item	1
field	2



2014/03/06

نموذج امتحان لوظيفة : مبرمج الصفحات الالكترونية و تطبيقات الانترنت

key	3
array	4

After executing the following PHP code

php<?

```
'; str = 'one|two|three|four$  
; ))print_r(explode('|', $str, -1  
?>
```

,the expected output is

Array([0] => one [1] => two three four)	1
Array([0] => one [1] => two [2] => three [3] => four)	2
Array([0] => one [1] => two [2] => three)	3
None of the above	4

:oci_pconnect) is a PHP command which is used for(

increase connection sessions in database server	1
make connection between php and oracle server	2
terminate connection to mysql server	3
None of the Above	4

?Which PHP code using to redirect into page MyPage.html

Response.redirect("MyPage.html");	1
header("location:MyPage.html");	2
windows.href="MyPage.html";	3
windows.location="MyPage.html";	4

?What is the correct way to include the file "connection.asp" in Asp

<% #include file="connection.asp" %>	1
<include file="connection.asp">	2
<!--#include file="connection.asp"-->	3
<% include file="connection.asp" %>	4

The following regular expression

?\$))4{]0-9-[\\}5{]0-9[^

:matches

900001 and 9002-4323	1
9001 and 12-4321	2



2014/03/06

نموذج امتحان لوظيفة : مبرمج الصفحات الالكترونية و تطبيقات الانترنت

90001 and 90002-4323

3

Given a variable \$email containing the string user@example.com, which of the following statements would extract the string example.com

substr(\$email, strpos(\$email, "@"));

1

strstr(\$email, "@");

2

strchr(\$email, "@");

3

substr(\$email, strpos(\$email, "@")+1);

4

?What will the following PHP script output

php<?

;)time = strtotime ('2004/01/01\$

;)echo date ('H:i:s', \$time

?>

12:00:00 ص

1

12:00:00 م

2

00:i:00

3

12:i:00

4

If cookies are not enabled at browser end, does Form Authentication works in ?aspx page

Yes , It does.

1

No, It doesnot

2

It depends on browser

3

Given the following methods of the ASP .Net Page class, in which of them would you attach an event handler to an event published by a control on the web page

OnLoad()

1

Page_Loader()

2

OnInit()

3

OnPostBack()

4

.)Which two statements about views are true? (Choose two

A view can be created as read only.

1

A view can be created as a join on two or more tables.

2

A view cannot have an ORDER BY clause in the SELECT statement.

3

A view cannot be created with a GROUP BY clause in the SELECT statement.

4



2014/03/06

نموذج امتحان لوظيفة : مبرمج الصفحات الالكترونية و تطبيقات الانترنت

Evaluate this SQL statement: SELECT employee_id, e.department_id, department_name, salary FROM employees e, departments d WHERE e.department_id = d.department_id; Which SQL statement is equivalent to the ?above SQL statement

SELECT employee_id, department_id, department_name, salary FROM employees WHERE department_id IN (SELECT department_id FROM departments);

1

SELECT employee_id, department_id, department_name, salary FROM employees NATURAL JOIN departments;

2

SELECT employee_id, d.department_id, department_name, salary FROM employees e JOIN departments d ON e.department_id = d.department_id;

3

SELECT employee_id, department_id, department_name, salary FROM employees JOIN departments USING (e.department_id, d.department_id);

4

?What is true about joining tables through an equijoin

You can join a maximum of two tables through an equijoin.

1

You can join a maximum of two columns through an equijoin.

2

You specify an equijoin condition in the SELECT or FROM clauses of a SELECT statement.

3

You can join n tables (all having single column primary keys) in a SQL statement by specifying a minimum of n-1 join conditions.

4

A SELECT statement can be used to perform these three functions: - Choose rows from a table. - Choose columns from a table. - Bring together data that is stored in different tables by creating a link between them. Which set of keywords describes these cap

difference, projection, join

1

selection, projection, join

2

selection, intersection, join

3

intersection, projection, join

4

?What is the purpose of the SQL AS clause

The AS clause defines a search condition.

1

The AS clause is used with the JOIN clause only.

2

The AS SQL clause is used change the name of a column in the result set or to assign a name to a derived column.

3

Which of the following is a SQL aggregate function

LEN

1



2014/03/06

نموذج امتحان لوظيفة : مبرمج الصفحات الالكترونية و تطبيقات الانترنت

LEFT
JOIN
AVG

2

3

4